



Being at Home

A Therapies Toolkit

Provided by;

Occupational Therapy,

Speech and Language Therapy

& Physiotherapy Teams



Introduction

- This home pack was designed to support parents and caregivers while families are at home.
- Continue to follow any recommendations from therapists or therapy/activities programmes you already have for your child.
- If you need a new copy of a programme contact your child's therapist.
- If you require any more information or an explanation of the tips/activities, contact your child's therapist.

Contents

Home Routines

Keeping Healthy

Play

Useful Links and Info

Contact Information

Resources

1

Home

Routines



Top things to remember

- Create a routine
- Involve your child in your day to day activities
- Take into account your child's way of communicating

Changes in Routine

- Due to COVID-19 our daily routine has changed and this is unsettling for everyone.
- It takes time for everyone to adjust and get used to a new situation.
- For some children, the anxiety because of changes in their routine, environment and having to stay at home can have a big impact on their behaviour and their feeding.
- It can be difficult to explain what is happening at the moment and some children might find it easier to understand if a social story or visuals are used such as this:



- During this time, it is important to try and maintain some routine, especially around mealtimes.
- We hope these ideas might help you do this:
 - Keep a protected time for breakfast, lunch and dinner each day. It doesn't matter what time this happens or if the time changes each day but this will help to create predictability and reduce some anxiety around food.
 - Keep the same structure every day and for every meal.
 - Tell them, food in 5 minutes
 - Take them to wash hands.
 - Give them own plate / bowl to bring to eating area to help them understand this is food time.
 - Encourage them to eat and drink and show them what to do by eating and drinking yourself.
 - After eating, help them to take their own plate / bowl to kitchen.
- Make the most of opportunities to involve your child in food preparation activities as this can really help to reduce their anxiety and be a fun activity to do together.
-


Create a routine

Knowing what is going to happen in the day can help reduce a child's anxiety




- **Keep a predictable schedule each day**, e.g. have meals at the same time, wake up at the same time.
- Show the child what is happening throughout the day (e.g. **Objects of Reference/Visual timetable/ First/Then board**).
- See examples of what can be included in a visual timetable. Also see “Resources” section for print/use at home visual timetable

Visual time table



Objects of reference



Bath time

Bath time can take place at any time of the day - a fun opportunity for learning and playing together !



*Never leave
your child
unsupervised
in the bath.*

- **Toys** - cups, colanders, jugs, boats, sponges, brushes, spoons, balls, etc.
- Play with **Bubbles**
- Use bath toys to make up **story**
- **Singing** songs
- Offer **choices** e.g. ball or duck?
- Encourage your child to **request** 'more', or 'finished'.
- If the child uses spoken words, **add one or two words** to their words/sentences
- **Use key words** to **comment** on what you are doing e.g. washing, drying, pouring, etc.
- Use this time to do some **stretches** or gentle **movements** of your child's arms and legs.
- Doing this in the warm water will help muscles relax and make movements easier




Getting Dressed

If your child does not speak, look for other signs of communication, e.g. reaching, looking or vocalizing!



- Use **key words** e.g. items of clothing, body parts and direction of movement
- **Comment** on what you are doing e.g. 'let's put on your blue shirt', 'lift your arms'
- Offer **choices** e.g. between two shirts – do you want the red one, or the blue one?'
- Use the opportunity for **following instructions** e.g. 'first put on your shirt, then put on your jumper'
- Use the time to do your child's **stretches**, they will make getting dressed easier!
- Sing songs while doing this e.g. "put your arms in the air like you just don't care" to make it fun!



Meal Times

...a great time to experience different foods and a variety of textures through play



- Ensure your child is always well positioned for safe eating
- Offer **choices** e.g. 'food vs drink', 'orange juice vs milk'.
- **Sabotage** meal times to create opportunities for your child to communicate e.g. do not give utensils to encourage child to request for it, 'I want ...'
- Talk to your child about **what you are doing** together e.g. 'stirring', 'pouring' and 'eating'.
- Give your child **time** to develop their self feeding/ independence skills



- **Describe** the food e.g. 'the pasta is **hot**'
- Support your child to express their **preferences** by modelling vocabulary e.g. 'Johnny likes pizza' and 'Tobi does not like pasta'



2 Keeping Healthy



Top things to remember


- Keep using any orthotics (splints, lycra suits, leg gaiters etc.) that your child already has.
- Change position regularly
- Keep an eye out for pressure areas

Changing position

It is very important for your child to change position throughout the day. It is recommend that your child changes position every 2 hours.



- A change in position will look different for every child.
- Some options for changes of position can include;
 - Standing
 - Lying on your back
 - Sitting
 - Lying on your tummy
 - Lying on your side



- Use opportunities in your **daily routine** to complete this, for example:
After personal care spend some time in lying.
Complete activities at the table when standing.

Pressure Areas

Check your child's skin regularly !

- Pressure ulcers can affect any part of the body that's put under pressure. They're most common on bony parts of the body, such as the heels, elbows, hips and base of the spine.
- It is very important that you check your child's skin regularly for any signs of pressure areas developing.

Early signs:

- Part of the skin being discoloured and not returning to typical skin colour when pressure is removed.
- A patch of skin that feels warm, spongy or hard

If you notice these signs;


- Make sure the affected areas do not have pressure going through them.
- For example:
 - Floating heels
 - Changing position regularly



If these areas develop into open wounds or blisters, your child begins to feel unwell, has a fever or there is pus coming from the wound you must **seek urgent medical advice**

Top tips for different positions

All children are different, during their changes of position you should aim for the best posture for **your child**. Below are some general tips to apply.



SITTING	STANDING	LYING
<ul style="list-style-type: none">-Hips and knees should be at 90 degrees (right angles) as much as possible.-Bottom back in chair.-No twisting or turning or leaning heavily to one side	<ul style="list-style-type: none">-No twisting/turning.-Hips – knees – feet should be in line.-Remember to check the straps on the standing frame are tight,	<ul style="list-style-type: none">- Try to position as straight as possible, no twisting/turning.- Support under knees with a pillow and make sure not too much pressure is going through heels.


Movement

All movement is good for you!

Movement looks different for all children but in most cases **any kind of movement is beneficial**. Whether you are helping your child move or they are doing it on their own there are lots of benefits!



- No matter how your child moves all movement is good-encourage them to step, walk or run throughout the day.



- The **entire family** can join in with yoga!
- Some children might need help completing the movements.



- Balloon tennis
- Tying balloons to doorways and encourage reaching/hitting



- **Blowing bubbles** offers great motivation for **movement, communication and interaction.**

Being outside

Try to go outside to experience the weather and get fresh air once a day (more if you have a garden!).



Being outside you can enjoy the fresh air and a change of environment with new sites, smells and textures.




Balls can be used for all kinds of activities;

- Rolling
- Push the ball
- Throw the ball
- Holding with two hands
- Passing to family members



Try creating an obstacle course- this can be done inside or outside and can use lots of things you already have at home



3 Play



Top things to remember

- Remember to have fun! Games, singing, dancing and playing are all great ways to interact with your child and remember times flies when you're having fun!
- Different activities motivate different children – find what works for you!

Sensory and Exploratory play

This helps children to learn about the world around them. It also,

- helps children become more accepting of new sensory experiences including food
- helps children to develop movement and coordination
- helps children learn that they can have an effect on the things around them

Activities to encourage sensory and exploratory play that you could try:

- Help child to bang, shake, examine, drop and throw objects
- Support child in putting safe objects to their mouth.
- Give child toys they can squeeze and shake
- Gather together objects that have different textures, such as rough, smooth, spiky, feathers for the child to feel and explore.
- Use baby oil to massage a child's hands and feet.
- Explore sounds using bells, rattles and musical toys.
- Play with toys and objects that are brightly coloured, shiny, lit-up.

Play

Remember laughter is the best medicine!

Some ways to play.....



- **Read a story** – using props eg toy cars, animal teddies can help your child to engage and interact
- Put on some favourite **music and “dance”** in whatever way you are able to, help your child to move their arms/legs/wheelchairs to the music.
- Enjoy some **messy play** - *examples can be found in the “Useful links” page*
- Create a **“sensory box”** - see **“Resources”** section for ideas
- “What’s in the bag” activity – hide toys in a bag and engage in fun, anticipatory and exciting play.
- Use your imagination – set up a shop, stage a musical concert, pretend to be a hairdresser, dress up or put on a funny hat!
- Make something - *there are lots of craft ideas – see the “Useful links” page for inspiration*



Strategies

Find a special time to play - it could be for five minutes or it could be for an hour – do what works for you.

- **Follow your child's lead** – respond to verbal or non-verbal language such as vocalisations/body movements/ facial expressions
- **Add and extend language** produced by your child, e.g. If your child says “car” expand and label the word by saying “yes, car, blue car “.
- **Balance questions and comments**–try and comment on what your child is doing rather than asking questions. E.g. instead of saying “are you eating the banana?” You could say “eating the banana” (with an eating noise!) etc.
- **Repeat games/activities over and over again**
- Accompany verbal language with **Makaton** signs when possible.



4 Useful Links and Info

Communication

- **Twinkl** - <https://www.twinkl.co.uk>
A wide range of resources for parents and teachers to use with children at home
- **Ask Field Academy** - <https://www.ashfield.leicester.sch.uk/home-learning-resources/>
Home learning resources available to support communication and sensory needs.
- **Phoenix ASD school SEN resources** - <https://www.phoenix.towerhamlets.sch.uk/thamlets/primary/phoenix/site/pages/homerresources>
Home Learning resources for SEN children – OT, SLT and teaching resources
- **Gina Davies Autism Centre YouTube Channel** - <https://www.youtube.com/channel/UCPPw7lj3k2Zhe19Fb3CO-ag>
Videos for Attention Autism activities.
- **A Social Story about Corona Virus** - https://be73b3da-9b4e-4f61-8908-e7b4fd76db14.filesusr.com/ugd/1addde_3aff5d714ac048f09efb8261d638ad18.pdf

Sensory regulation and Play

- **Sensory and messy play activities for children with additional needs -** https://www.empoweringlittleminds.co.uk/resources-1?fbclid=IwAR2AInVCXXW_ZMOg4I3Xdynlze8fEwmRnUXe2b8i1rivmM17eSb1D9RpCuc
- **Sensory Circuits Video** - <https://youtu.be/R-5r79geh9Y>
Useful videos to help to regulate your child
- **Teaching the OT way** - <https://www.teachingtheotway.com/>
A Blog and online resource by an OT therapist.
- **Messy play** - www.nhsggc.org.uk/kids/resources/ot-activityinformation-sheets/messy-play-activities
Ideas for messy play
- **Craft ideas** - www.pinterest.co.uk/ab3867/special-needs-art/
Lots of different examples of craft activities.

Physical activity and movement

- **BBC**
<https://www.bbc.co.uk/iplayer/episodes/p06tmmvz/andys-wild-workouts>
- **Parable Dance**
<https://parabledance.co.uk/fun-15/>
- **Wheel power**
<https://www.wheelpower.org.uk/resources/adaptiveyoga>
- **Active for Life**
<https://activeforlife.com/activities-for-babies-and-toddlers/>

Mental Health and Wellbeing

- **Charlie Waller Memorial Trust**- <https://www.cwmt.org.uk/resources>
Resources for children and families
- **Elsa Support** - <https://www.elsa-support.co.uk/>
Free resources to help children to understand their emotions and feelings.

5 Contact Information

Phone number for all therapies:



0300 300 1888

To contact by Email:



– Physio

nem-tr.ChildrensPTTeam@nhs.net

– OT

nem-tr.ChildrensOTTeam@nhs.net

– Speech and Language Therapy

haveringpaediatricSALT@nelft.nhs.uk

6 Resources

1. Visual Timetable

- You can use the below examples of activities/events that could go into a visual timetable to support your child throughout their day.



breakfast

twinkl.com



brush teeth

twinkl.com



computer

twinkl.com



cooking

twinkl.com



dinner

twinkl.com




get up

twinkl.com



homework

twinkl.com



library

twinkl.com



lunch

twinkl.com



nursery

twinkl.com



school

twinkl.com



painting

twinkl.com



park

twinkl.com



party

twinkl.com



play outside

twinkl.com



playground

twinkl.com




Post Office

twinkl.com



prayers

twinkl.com



shopping

twinkl.com



shower

twinkl.com




story

twinkl.com



swimming

twinkl.com



television

twinkl.com



toilet

twinkl.com




toys




wash and
brush teeth



walk the dog



bath



chess



bedtime



tablet

twinkl.com



feed the dog

twinkl.com



feed the cat

twinkl.com



surprise

twinkl.com




getting dressed

twinkl.com



getting undressed

twinkl.com



putting on
pyjamas

twinkl.com



brush hair

twinkl.com



put shoes on

twinkl.com

2. Creating a sensory box




- Create a “sensory box” - filled with all sorts of things that are great to FEEL or LOOK at or SMELL. Set aside some time for your child to explore different things – you can make this easier by keeping them all in a box together.
- This could include: *rough* pinecones, *soft* fabric, *bumpy* Lego, *crinkly* paper, *smooth* plastic cup, *squishy* sponges, *sparkling* tinsel, *hard* shells, *cold* metal spoon, *prickly* hairbrush..... there are so many every day things that you could include have fun choosing what to put in it!



3. Sensory Modulation activities

In order to function effectively every individual regulates their levels of arousal so that they are appropriate for the task or situation. Often individuals with sensory processing difficulties find this difficult. This is known as poor self-regulation which is the inability to attain, maintain and change their level of arousal appropriately for the task or situation. The ability to maintain an appropriate state of arousal develops from our ability to balance regulate, or modulate, sensory input from our environment.

- A normal state of arousal is essential for the development of attention, impulse control, frustration tolerance and balanced emotional reactions.



What does it look like?

- **Under aroused-** distractible, day dreamy, appear bored, appear disinterested, lazy and unmotivated.
- **Over aroused-** fidgety, distractible, aggressive and displaying inappropriate behaviour
- **Too Fast**
- **Too Slow**
- **Just Right**
- **Fluctuating-** fluctuating between both ends of the spectrum
- You can think about this in terms of a car engine. A car runs best when its engine is running just right, when it's running too slow it stalls and if it's running too fast it's too revved up.



Calming



Try some of these calming activities if your child starts to become excitable /distractible to decrease their arousal levels.

- Slow rocking (this can be with a blanket wrapped around them)
- Hand massage
- Weighted blankets (not at night- use an extra duvet instead).
- The child can press down on their own head with clasped hands or sit on their hands
- Give chewy snacks which are calming (liquorice, fruit chews)
- Allow movement such as going for a walk
- Provide a fidget
- Weighted clothing and heavy coats



How can you make the environment more calming?

- Use natural dim lights and avoid fluorescent light
- Create chill out areas in the room
- Play quiet calming music in the background
- Use soothing smells, be aware of perfumes and other strong odours
- Avoid junk foods, sugars, and artificial colourings
- Sometimes ear defenders or sun glasses help to reduce the sensory input when it is overloading the child, like at the supermarket



Alerting



If your child finds it difficult to engage / get going with an activity, try some of these alerting activities, in order to raise their arousal levels.

- Start the day with a shower, and crunchy cereal
- Encourage jogging, walking and stretching and regular movement breaks (e.g. errands such as stacking chairs, wiping the board)
- Drink plenty of cold water
- Sucking a sweet or chewing gum
- Gardening or sports activities
- Spraying water mist on their face or place a cold flannel on the forehead or back of the neck



How can you make the environment more alerting?

- Have the radio on, or upbeat music
- Use strong odours such as peppermint and perfume
- Artificial light
- Increased movement in the room